

Group A Strep Primers

Intended Use

Analyte Specific Reagent (ASR). Analytical and performance characteristics are not established. This ASR is intended to be used as a component of a laboratory developed test (LDT) used exclusively by laboratories.

Product Description

The Group A Strep (GAS) Primers ASR contains forward and reverse primers designed to amplify a 136 base pair region of the 16S gene of *Streptococcus pyogenes*.

Materials Provided

GAS Primers (Cat. No. PRD-05050)

Component	Quantity	Concentration
Tubes	1 x 0.53 mL	37.5 µmol/L of each primer

Warnings and Precautions

- A. Analytical and performance characteristics are not established.
- B. Use routine laboratory precautions. Wear disposable, powderless gloves, protective eye wear, and laboratory coats when handling specimens and kit reagents. Wash hands thoroughly after handling reagents.
- C. Dispose of all materials that have come in contact with reagents according to local, state, and federal regulations.

Quality Control

This analyte specific reagent was manufactured and released in accordance with the Hologic quality control and quality assurance procedures.

Storage and Handling

Upon receipt, store material at -15 to -85 °C. Multiple freeze/thaw cycles should be minimized by appropriate aliquoting and should not exceed 3 freeze/thaw cycles.

***In silico* Binding Affinity**

The GAS primers cover 100% of the aligned *Streptococcus pyogenes* sequences available in the NCBI Database*.

Additionally, the GAS primers did not show binding affinity for the organisms indicated in the table below or to human DNA.

<i>Arcanobacterium haemolyticum</i>	Human Parainfluenza virus 3	<i>Staphylococcus epidermidis</i>
<i>Bacillus cereus</i>	Human Parainfluenza virus 4	<i>Stenotrophomonas maltophilia</i>
<i>Bordetella pertussis</i>	<i>Klebsiella</i> spp.	<i>Streptococcus agalactiae</i>
<i>Burkholderia cepacia</i>	<i>Lactobacillus acidophilus</i>	<i>Streptococcus anginosus</i>
<i>Corynebacterium diphtheriae</i>	<i>Lactococcus</i> spp.	<i>Streptococcus canis</i>
<i>Candida</i> spp.	<i>Legionella</i> spp.	<i>Streptococcus dysgalactiae</i> subs. <i>equisimilis</i>
<i>E. coli</i>	<i>Moraxella catarrhalis</i>	<i>Streptococcus gallolyticus</i>
<i>Enterococcus</i> spp.	<i>Mycoplasma pneumoniae</i>	<i>Streptococcus intermedius</i>
Influenza A	<i>Neisseria gonorrhoeae</i>	<i>Streptococcus mitis</i>
Influenza B	<i>Parvimonas micra</i>	<i>Streptococcus mutans</i>
<i>Fusobacterium necrophorum</i>	<i>Prevotella oralis</i>	<i>Streptococcus pneumoniae</i>
<i>Haemophilus influenzae</i>	<i>Pseudomonas</i> spp.	<i>Streptococcus salivarius</i>
Human Adenovirus	Rhinovirus	<i>Streptococcus sanguinus</i>
Human DNA	RSV	<i>Treponema denticola</i>
Human metapneumovirus	<i>Saccharomyces cerevisiae</i>	<i>Veillonella parvula</i>
Human Parainfluenza virus 1	<i>Streptococcus constellatus</i> subs. <i>pharyngis</i>	
Human Parainfluenza virus 2	<i>Staphylococcus aureus</i>	

*As of May 2018



Hologic, Inc.
10210 Genetic Center Drive
San Diego, CA 92121 USA

For country-specific Technical Support and Customer Service email address and telephone number, visit www.hologic.com/support.

For more contact information visit www.hologic.com.

Hologic and associated logos are trademarks or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries.

All other trademarks that may appear in this package insert are the property of their respective owners.

This product may be covered by one or more U.S. patents identified at [www. Hologic.com/patents](http://www.Hologic.com/patents).

© 2024 Hologic, Inc. All rights reserved.

AW-19124 Rev. 002
2024-04