## **HOLOGIC**

#### INTRODUCING

## Fluent Pro

## Fluid Management System

Designed to increase efficiency, confidence and performance in the operating room

#### **BETTER SUCTION**

## Up to 4x faster suction

Select between three levels of suction to achieve up to 4x faster suction\*

#### BETTER VISUALIZATION<sup>†</sup>

## Powered by **SmartFlo**™ **technology**

Optimize visualization with SmartFlo technology, featuring adaptive learning and proactive inflow response

#### **BETTER RESECTION**

### Up to **2.5x more** tissue

The Fluent Pro system high suction setting resects\*

- 2.5x more tissue with MyoSure XL device
- 2x more tissue with MyoSure Lite device
- 1.7x more tissue with MyoSure Reach device

\*Based on a comparison of bench testing performed on the Fluent Pro system high suction setting and the Fluent system default/non-adjustable setting.

<sup>†</sup>Based on a survey of 34 physician users during Fluent Pro Limited Market Release, 2024

Elevate your hysteroscopic procedures







HOLOGIC

# The next generation of fluid management





CONSOLE		
SUCTION		
Tissue removal device suction rate*	Adjustable suction Low: 1.4x faster Medium: 2.8x faster High: 4.1x faster	Non-adjustable suction
Under buttocks drape suction rate*	High suction: 1,159 ml/min Fluent Pro automatically adjusts to high suction at the end of the procedure	238 ml/min
PRESSURE		
Max inflow rate	1000 ml/min	650 ml/min
Intrauterine pressure setting range	40-150 mmHg	40-120 mmHg
DEFICIT		
Fluid bag scales	Dedicated scale for each fluid bag hook	Single scale for both fluid bag hooks
In-FloPak tubing spiking/clamping	Can be unclamped once FloPak is installed	Must remain clamped until ready to prime
GUIDED USER INTERFACE		
High fluid loss alert	Alert appears when deficit increases by 300 ml or more	None
Power fail procedure recovery (resume procedure)	Without repriming	Only after repriming
Intrauterine pressure	Displayed in real time	None
DISPOSABLE		
Outflow motor speed	Low: 65 RPM Medium: 112 RPM High: 190 RPM	65 RPM
Overpressure mitigation	Elastic pressure shielding tube	None
FloPak housing	Ultrasonically welded together	Snaps together
FloPak retention	Mechanical Easy Eject™ retention levers	Electromagnets

<sup>\*</sup>Data from internal bench testing

#### ${\bf Contact\ your\ Hologic\ sales\ representative\ or\ visit\ {\bf GYNsurgical solutions.com}\ for\ more\ information.}$

All Rights Reserved. Hologic, Easy Eject, Fluent, MyoSure, SMARTFlo and associated logos are trademarks and/or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries.



SS-01628-001 Rev 002 | 12/2024 |  $\ensuremath{\texttt{@}}$  2024 Hologic, Inc.

